ELSEVIER

Sensors and Actuators A 51 (1995) 109

SENSORS AND ACTUATORS A PHYSICAL

Author Index of Volume A 51, Issue 1

Angelova, A., 97
Autran, J.L., 5

Bartlett, P.N., 57
Benrakkad, M.S., 9
Berry, G.J., 47
Bhanumurthy, K., 25
Bouwstra, S., 51

Cairns, J.A., 47
Cattan, E., 1

de Rooij, N.F., 89
Devine, R.A.B, 5
Dorfman, S., 13

Ehrlich, G.M., 17

Folkmer, B., 71
Fragnaud, P., 21
Fuks, D., 13

Gardner, J.W., 57
Gspann, J., 37

Ionov, R., 97

Jaber, B., 1

Käufl, H.U., 77
Kersten, P., 51
Kirsten, M., 9
Klumpp, A., 77
Kühl, K., 77

Lang, W., 31, 71, 77
Lange, P., 9
Leray, J.L., 5
Lopez-Villegas, J.M., 9

Metev, S., 41
Morante, J.R., 9
Morf, W.E., 89
Morgenstern, T., 103

Nowak, R., 41

Paillet, P., 5
Paneva, R., 67
Petersen, J.W., 51

Rémiens, D., 1

Ryssel, H., 67

Samitier, J., 9
Sandmaier, H., 31
Sänger, M., 83
Schaber, U., 77
Schleich, D.M., 17, 21
Schmid-Fetzer, R., 25
Schultze, J.W., 103
Sepold, G., 41
Sigrist, H., 83
Steiner, P., 31, 71

Temmel, G., 67
Thierry, B., 1
Thies, A., 103
Thomson, J., 47

ELSEVIER

Sensors and Actuators A 51 (1995) 110

SENSORS AND ACTUATORS A PHYSICAL

Subject Index of Volume 51, Issue 1

Amperometric/voltammetric sensor
micro-adaptation of chemical sensor materials, 89
Application
application of conducting polymer technology in microsystems, 57
Atmospheric pressure
stress gradient and structural properties of atmospheric and reduced pressure deposited polysilicon layers for micromechanical sensors, 9

Biomolecule
light-dependent immobilization of biomolecules on material and lipid bilayer membrane surfaces, 83

Chemical vapour deposition
conduction properties of amorphous Ta_2O_5 films prepared by plasma enhanced chemical vapour deposition, 5
Chemical vapour deposition
stress gradient and structural properties of atmospheric and reduced pressure deposited polysilicon layers for micromechanical sensors, 9
Chromium
reactive diffusion between monocrystalline 6H–SiC and chromium, 25
Conducting polymer
application of conducting polymer technology in microsystems, 57
Conduction
conduction properties of amorphous Ta_2O_5 films prepared by plasma enhanced chemical vapour deposition, 5
Copper
carbon diffusion in copper-based metal matrix composites, 13
cw-Nd:YAG laser radiation
Nd:YAG-laser-induced wet chemical etching of titanium and stainless steel, 41
Cyclic voltammetry
laser-assisted microstructuring and characterization of polybithiophene, 103

Diffusion path
reactive diffusion between monocrystalline 6H–SiC and chromium, 25
Diffusion
carbon diffusion in copper-based metal matrix composites, 13
Disc-like mesogene
a new type of arrangement of disc-shaped molecules in Langmuir-Blodgett films, 97

Electrode material
the preparation and characterization of electrode materials for solid state batteries, 17
Electrodeposited photoresists
photolithography on micromachined 3D surfaces using electrodeposited photoresists, 51
Electron beam bombardment
the production of fine metal tracks from a new range of organometallic compounds, 47
Etching
anisotropic etching for optical gratings, 77

Impact
microstructuring by nanoparticle impact lithography, 37

Langmuir-Blodgett film
a new type of arrangement of disc-shaped molecules in Langmuir-Blodgett films, 97
Light-dependent immobilization
light-dependent immobilization of biomolecules on material and lipid bilayer membrane surfaces, 83
Lipid bilayer membrane
light-dependent immobilization of biomolecules on material and lipid bilayer membrane surfaces, 83
Lithium battery
thin film components for solid state lithium batteries, 21

Metal matrix composite
carbon diffusion in copper-based metal matrix composites, 13
Metal track deposition
the production of fine metal tracks from a new range of organometallic compounds, 47
Microlithography
microstructuring by nanoparticle impact lithography, 37
Micromachining
photolithography on micromachined 3D surfaces using electrodeposited photoresists, 51
Micromechanical sensor
stress gradient and structural properties of atmospheric and reduced pressure deposited polysilicon layers for micromechanical sensors, 9
Microstructuring
laser-assisted microstructuring and characterization of polybithiophene, 103
Microsystem
application of conducting polymer technology in microsystems, 57

Microsystems
porous silicon: a novel material for microsystems, 31
Miniaturization
micro-adaptation of chemical sensor materials, 89
Molecular arrangement
a new type of arrangement of disc-shaped molecules in Langmuir-Blodgett films, 97
Monocrystalline 6H–SiC
reactive diffusion between monocrystalline 6H–SiC and chromium, 25
Monocrystalline silicon
silicon nitride membrane sensors with monocrystalline transducers, 71

n-Si
laser-assisted microstructuring and characterization of polybithiophene, 103
Nanoparticle
microstructuring by nanoparticle impact lithography, 37

Optical grating
anisotropic etching for optical gratings, 77
Optimisation
optimisation of the deposition and annealing parameters of paraelectric PLZT (28/0/100) thin films grown by RF magnetron sputtering, 1
Organometallic material
the production of fine metal tracks from a new range of organometallic compounds, 47

Photolithography
photolithography on micromachined 3D surfaces using electrodeposited photoresists, 51
PLZT thin film
optimisation of the deposition and annealing parameters of paraelectric PLZT (28/0/100) thin films grown by RF magnetron sputtering, 1
Polybithiophene
laser-assisted microstructuring and characterization of polybithiophene, 103
Porous silicon
porous silicon: a novel material for microsystems, 31
Potentiometric sensor
micro-adaptation of chemical sensor materials, 89

Reduced pressure
stress gradient and structural properties of atmospheric and reduced pressure deposited polysilicon layers for micromechanical sensors, 9
RF magnetron sputtering
optimisation of the deposition and annealing parameters of paraelectric PLZT (28/0/100) thin films grown by RF magnetron sputtering, 1

Scanning electrochemical microscopy
laser-assisted microstructuring and characterization of polybithiophene, 103
Sensor technology
silicon nitride membrane sensors with monocrystalline transducers, 71
Silicon nitride membrane
silicon nitride membrane sensors with monocrystalline transducers, 71
Silicon
anisotropic etching for optical gratings, 77
Silicon
ultrasonic transducer with silicon: a well known material with new applications, 67
Solid state battery
the preparation and characterization of electrode materials for solid state batteries, 17
Spray pyrolysis
thin film components for solid state lithium batteries, 21
Stability diagram
reactive diffusion between monocrystalline 6H–SiC and chromium, 25
Stainless steel
Nd:YAG-laser-induced wet chemical etching of titanium and stainless steel, 41

Tantalum oxide
conduction properties of amorphous Ta_2O_5 films prepared by plasma enhanced chemical vapour deposition, 5
Thin film component
thin film components for solid state lithium batteries, 21
Titanium
Nd:YAG-laser-induced wet chemical etching of titanium and stainless steel, 41

Ultrasonic transducer
ultrasonic transducer with silicon: a well known material with new applications, 67

Vibration
ultrasonic transducer with silicon: a well known material with new applications, 67
Wet chemical etching
Nd:YAG-laser-induced wet chemical etching of titanium and stainless steel, 41

Zirconium
carbon diffusion in copper-based metal matrix composites, 13

ELSEVIER

Sensors and Actuators A 51 (1996) 251

SENSORS AND ACTUATORS A PHYSICAL

Author Index of Volume A 51, Issues 2 and 3

Affane, W., 219
Alabbas, S.H., 129
Asakura, T., 117
Ashworth, D.C., 129

Baeva, M., 199
Bao, C., 165
Bezzaa, B., 129
Boskovic, M., 193

Chen, C., 125

Djordjevich, A., 193
Dogan, A., 183

Fernandes, L., 135
Fernandez, J.F., 183
Fortunato, E., 135, 143
Furlan, R., 239

Gibbs, M.R.J., 219
Golubović, S., 153
Gómez-Reino, C., 165
Groger, H., 211
Guo, Y., 125

Hane, K., 179
Hayashi, K., 225
He, M., 125

Ishida, H., 225
Iwasaki, H., 231

Kanzaki, R., 225
Kwon, J.-R., 173

Lavareda, G., 135
Liu, Z., 125
Lo, P., 211
Luo, S.-F., 211

Martins, R., 135, 143
Momin, S.A., 129
Moriizumi, T., 225

Nakamoto, T., 225
Narayanaswamy, R., 129
Newnham, R.E., 183

Oba, N., 231

Peiponen, K.-E., 117
Pejović, M., 153
Popov, P., 199
Powell, A.L., 219

Räsänen, J., 117
Restivo, M.T., 203
Ristić, G., 153

Sainov, S., 199
Savolainen, M., 117
Shin, B.-C., 173
Silvennoinen, R., 117
Šimkevičius, Č., 159
Soares, F., 135
Srivastava, R., 165, 211
Stankevič, V., 159
Stoev, I., 113
Suzuki, K., 179

Takakusaki, M., 225
Tanaka, H., 231
Tressler, J.F., 183

Uozumi, J., 117

Weiss, M.N., 211

Yoshinobu, T., 231

Zemel, J.N., 239
Zhang, Q.M., 183

Elsevier Science S.A.

ELSEVIER

Sensors and Actuators A 51 (1996) 252–253

SENSORS AND ACTUATORS A PHYSICAL

Subject Index of Volume A 51, Issues 2 and 3

Actuators
hollow piezoelectric composites, 183
Amorphous silicon
large-area 1D thin-film position-sensitive detector with high detection resolution, 135
Anisotropic etching
anisotropic etching of Si (100) studied by scanning electron microscopy, 113

Chemical-imaging sensors
high-speed and high-precision chemical-imaging sensor, 231
Chemical sensors
planar-surface-waveguide evanescent-wave chemical sensors, 165
Choked flow
behavior of microfluidic amplifiers, 239
Continuous-cast steel billets
ultrasonic transducers for continuous-cast billets, 173
Curvature
curvature gauge, 193
Curvature measurements
on simultaneous optical sensing of local curvature and roughness of metal surfaces, 117

Defect detection
ultrasonic transducers for continuous-cast billets, 173
Deformation
curvature gauge, 193
Dew-point measurement
measurement of surface dew by optical sensor, 199

Eddy currents
a case study of induced eddy currents, 203
Environmental monitoring
a theoretical investigation of environmental monitoring using surface plasmon resonance waveguide sensors, 211
Evanescent waves
planar-surface-waveguide evanescent-wave chemical sensors, 165

Fading
sensitivity and fading of pMOS dosimeters with thick gate oxide, 153
Fibre optics
curvature gauge, 193

Holographic optical elements
measurement of surface dew by optical sensor, 199
Hydrophones
hollow piezoelectric composites, 183

Interference optical sensors
self-excited vibration of a self-supporting thin film caused by laser irradiation, 179
Internal gain
a novel photodetector with new internal gain and short response time, 125

Large-area devices
large-area 1D thin-film position-sensitive detector with high detection resolution, 135
Lasers
self-excited vibration of a self-supporting thin film caused by laser irradiation, 179
Light-addressable potentiometric sensors
high-speed and high-precision chemical-imaging sensor, 231
Lithotripsy
semiconductor pressure-pulse sensor, 159

Mechanical vibration
self-excited vibration of a self-supporting thin film caused by laser irradiation, 179
Microflow control
behavior of microfluidic amplifiers, 239
Microfluidic amplifiers
behavior of microfluidic amplifiers, 239
Micromachining
performance modelling of micromachined sensor membranes coated with piezomagnetic material, 219
Modelling
performance modelling of micromachined sensor membranes coated with piezomagnetic material, 219

Non-linear effects
self-excited vibration of a self-supporting thin film caused by laser irradiation, 179

Odour-source localization
odour-source localization system mimicking behaviour of silkworm moth, 225
Optical-fibre sensors
factors affecting the response time of an optical-fibre reflectance pH sensor, 129
Optical metrology
on simultaneous optical sensing of local curvature and roughness of metal surfaces, 117
Optical sensors
measurement of surface dew by optical sensor, 199

Pheromones
odour-source localization system mimicking behaviour of silkworm moth, 225
pH-imaging sensors
high-speed and high-precision chemical-imaging sensor, 231
Photodetectors
a novel photodetector with new internal gain and short response time, 125
Photothermal techniques
self-excited vibration of a self-supporting thin film caused by laser irradiation, 179

Elsevier Science S.A.

pH sensors
factors affecting the response time of an optical-fibre reflectance pH sensor, 129
Piezocomposites
hollow piezoelectric composites, 183
Piezoelectrics
hollow piezoelectric composites, 183
Piezomagnetic materials
performance modelling of micromachined sensor membranes coated with piezomagnetic material, 219
P-i-n devices
static behaviour of thin-film position-sensitive detectors based on p-i-n a-Si:H devices, 143
Planar-surface waveguides
planar-surface-waveguide evanescent-wave chemical sensors, 165
pMOS dosimeters
sensitivity and fading of pMOS dosimeters with thick gate oxide, 153
Position-sensitive detectors
large-area 1D thin-film position-sensitive detector with high detection resolution, 135
static behaviour of thin-film position-sensitive detectors based on p-i-n a-Si:H devices, 143
Pressure-pulse sensors
semiconductor pressure-pulse sensor, 159

Response time
a novel photodetector with new internal gain and short response time, 125
Roughness measurements
on simultaneous optical sensing of local curvature and roughness of metal surfaces, 117

Scanning electron microscopy
anisotropic etching of Si (100) studied by scanning electron microscopy, 113
Semiconductor gas sensors
odour-source localization system mimicking behaviour of silkworm moth, 225
Semiconductors
high-speed and high-precision chemical-imaging sensor, 231
Semiconductor sensors
semiconductor pressure-pulse sensor, 159
Sensitivity
sensitivity and fading of pMOS dosimeters with thick gate oxide, 153
Sensor arrays
on simultaneous optical sensing of local curvature and roughness of metal surfaces, 117
Sensors
curvature gauge, 193
Silicon
anisotropic etching of Si (100) studied by scanning electron microscopy, 113
static behaviour of thin-film position-sensitive detectors based on p-i-n a-Si:H devices, 143
Silicon micromachining
behavior of microfluidic amplifiers, 239
Silkworm moth
odour-source localization system mimicking behaviour of silkworm moth, 225
Surface plasmon resonance
a theoretical investigation of environmental monitoring using surface plasmon resonance waveguide sensors, 211

Thin films
large-area 1D thin-film position-sensitive detector with high detection resolution, 135
static behaviour of thin-film position-sensitive detectors based on p-i-n a-Si:H devices, 143
Transducers
a case study of induced eddy currents, 203

Ultrasonic transducers
ultrasonic transducers for continuous-cast billets, 173

Waveguide sensors
a theoretical investigation of environmental monitoring using surface plasmon resonance waveguide sensors, 211